



## **Foster Manual**

*“Saving one animal at a time”*

**Foster Program Coordinator:  
Kelly Cerreta: (240) 216-5645**



## **Contact Names and Numbers**

*Please call the Foster Program Coordinator with questions, concerns, or to schedule foster animal veterinary or other check-ups.*

*When the Foster Program Coordinator is unavailable:*

**Julie Smith (primary) (301) 213-6765**

**Tonya Jorgenson (back-up) (301) 752-6169**

or email us at [rescueangelssomd@gmail.com](mailto:rescueangelssomd@gmail.com)

### **Emergency Protocol and Contact Information**

On occasion, foster animals have medical emergencies that happen outside of the normal hours of operation. **In the case of an after-hours medical emergency, please contact the Medical Coordinator at (301) 752-6169.**

If she is unavailable, call the back-up emergency contact. They will assist you in getting the animal the attention he or she needs. *Please note that if you decide to take the foster animal directly to an emergency veterinary facility without prior approval from RASM, RASM will not be responsible for any of the costs incurred.*

### **Choosing Foster Candidates**

Not every animal is eligible for the foster program. Animals available for foster care are those who are expected to be deemed adoptable upon completion of a term of foster care. Animals with severe health or behavior problems that would prevent their being adopted even after specialized care are not placed into the foster program. RASM retains discretionary authority for selecting animals for foster care.

**Animals will not be considered for foster care if any of the following apply:**

- Represent a threat to public health or safety
- Have medical or behavioral problems in which the condition, prognosis or clinical course is unclear
- Have conditions (medical or behavioral) requiring an unreasonable investment of time and expense by RASM, the foster parent or the potential adopter
- Have prognoses of poor quality of life or chronic pain and suffering

**The following guidelines will also be followed:**

- An animal fostered for socialization will be at RASM's discretion.
- No animals under four weeks of age will be fostered without the mother unless the mother is not present.
- Any animal that shows signs of illness at the time of surrender is not eligible to be fostered. This may be overturned by the board on a case by case basis.

## **Suggested Supplies**

The number of foster animals the Rescue Angels of Southern Maryland is able to support is limited by the annual resources available to the program. Foster caregivers are encouraged to donate supplies for their own foster animals in order to maximize the number of animals fostered by RASM each year. The following is a list of supplies recommended for the care and maintenance of your foster animals.

- Blankets and towels
- Food
- Paper towels and rags
- Newspaper
- Bowls- ceramic or stainless steel are easiest to sanitize
- Crate- a large crate with a divider is useful for different sized dogs and kittens
- Grooming supplies- brushes, combs and flea combs
- Litter boxes- small, low sided litter boxes for kittens; covered litter boxes work well for adult cats
- Litter- use unscented, non-clumping clay litter for small kittens
- Litter scooper
- Sheets or tarps- to protect floors
- Scratching post and kitty forts for cats
- Stain and odor remover- Nature's Miracle works very well
- Toys that can be cleaned and sanitized (rubber, nylon, etc.)
- Bleach
- Disinfectant
- Baby gates
- Collars

This list is not exhaustive. The above supplies are the basics that will help with cats and kittens. Not all of the supplies will be needed if you only foster certain types of animals. The foster caregiver's best judgment should be used when obtaining supplies.

## **Picking Up a New Foster Animal**

- The Foster Program Coordinator or adoption member will contact a list of potential foster parents by phone or email when an animal is in need of foster care. The first foster caregiver who responds to the request, is felt to be a good fit for the animal and accepts the foster assignment will receive the animal. You always have the option to decline a foster assignment for any reason.
- Foster assignments are generally made for two week intervals, with the option of extending your assignment if needed. A one week break between foster assignments is generally enforced for reasons of sanitation and mental health.
- Once you agree to foster an animal, you are responsible for arranging a pick-up time within 24 to 48 hours and driving to the facility where the animal is located. Bring a transport crate for cats.**
- RASM will provide you with any supplies you are unable to donate or supply.
- You will leave with any necessary medications, dispensers, instructions and the medication log sheet if applicable.
- Cats will have been tested for feline leukemia and the test results listed on the medical form.

## **CAT PROOFING YOUR HOME**

*It is important to ensure that your home and foster room are safe; animals can do the most unlikely things.*

- All cleaning supplies and medications should be kept out of the reach of jumping and climbing cats, locking cabinets preferred.
- Place all small chewable items out of reach.
- Put all socks, shoes etc. away – they are tempting to chew. Cats love shoestrings
- Block off all small areas and hiding places.
- Trash cans should be kept covered.
- Wires and mini blind cords should be placed out of reach.
- Drapery and shower curtains should be placed out of reach.
- Count your foster animals when opening and closing closet doors.
- Many house and garden plants are poisonous. Keep household plants out of reach. Lilies, amongst others are deadly to cats.
- Toys must be safe! Avoid any toys that have small parts attached to them (i.e., eyes, ribbons, yarn, feathers, etc.). Also avoid soft rubber toys that can be chewed apart and squeaky toys.

Protect your home from being damaged by using sheets, tarps and newspaper to protect carpet and floors. ANY unprotected surface can potentially be damaged.

## **Bringing Your New Foster Animal Home**

- Ideally, set up the area where your foster animal will be staying before you bring your foster home.
- New foster animals should be kept separate from your existing companion animals of the same species for a period of 14 days.** This quarantine period is to protect your own animals and should be strictly observed.
- Cats and kittens do very well in a kitty condo, crate, bathroom or spare bedroom. The best place is a place where they can't hide from you all of the time.
- Try to have homecoming be a quiet experience for the animal.
- Cats and kittens need a cozy, secure place with a bed to snuggle up in. The bed can simply be a low box with a blanket in it.
- Show each cat and kitten where the litter box is located.
- Allow your new foster quiet time to adjust to the new environment.

## **Introductions With Your Companion Animals**

### **Cats:**

- Use your discretion in deciding whether to introduce your adult cats to your foster cats and kittens. Some resident cats have difficulty adjusting to fosters and may exhibit inappropriate behaviors such as urine marking.
- If you choose to introduce your adult cat to a foster cat or kitten, the introductions should be done gradually. Observing the 14 day waiting period will greatly facilitate this.

## **Health and Medical Issues**

Even if your foster animals appear healthy when you pick them up from the RASM, they may be incubating a disease. This is why it is important to observe the 14 day quarantine period when you first bring your foster home.

**It is very important that your companion animals of the same species be current on all vaccines for their own protection and well-being.** You may wish to discuss the fact that you are fostering with your veterinarian. Due to the increased chance of exposure to animals with diseases, your veterinarian might recommend vaccines that are not routinely given.

## **Signs of Illness:**

It is important to observe your foster animal for any signs of illness. **Please keep a daily chart of signs of illness for use at veterinary re-checks.** Warning signs to watch for include:

- Sneezing and or coughing
- Green mucus from the nose or eyes
- Squinting or crusting over of eyes
- Gagging
- Wheezing
- Tiring easily
- Vomiting
- Diarrhea
- Straining to urinate or defecate
- Bleeding from any part of the body
- Twitching abnormally
- Loss or decrease of appetite
- Change in attitude or behavior
- Lethargic or depressed
- Breathing heavily
- Rectal temperature over 102.5 degrees

**If your foster animal develops severe or bloody diarrhea, severe vomiting or is very lethargic, contact the Medical Coordinator immediately.**

## **Common Illnesses/Medical Conditions Seen in Foster Animals:**

- URI- Upper Respiratory Infection can infect dogs and cats. Cats cannot give URI to dogs, nor can dogs give it to cats, but it can be spread within the same species. Symptoms include sneezing, coughing, discharge from the nose or eyes, lethargy, loss of appetite and elevated temperature (**see – Respiratory Diseases**).
- Diarrhea- Generally, feces should be brown and formed. Diarrhea can be a symptom of many different illnesses and parasites.
- Dehydration- Animals with diarrhea can quickly become dehydrated. To check for dehydration, pull up gently on the skin at the scruff of the neck. If it bounces back quickly when you let go, hydration is fine. If it does not go back or goes back slowly, your foster animal is dehydrated and needs medical attention quickly.
- Fleas- Fleas can affect cats. A foster animal with fleas will be given a general flea treatment depending on the age of the cat/kitten. **Do not use any over the counter flea treatments at all.** If you notice fleas within a week of having the animal in your home, call the Foster Program Coordinator. Although we do try to prevent fleas, we recommend that all of your pets be on a flea preventative such as Revolution or Frontline
- Worms- Your foster will be treated for worms before coming to your home. If you detect worms in your foster's stool, contact the Foster Program Coordinator to make arrangements for treatment. Tapeworms resemble a grain of rice, and roundworms resemble spaghetti.

## Administering Medications

**Administering Pills to Cats-** If the pill can be given with food, try hiding it in a piece of food. A small amount of baby food (Gerber 2nd stage only without onion or garlic in the ingredients), tuna, cream cheese, liverwurst, canned food or semi-moist food like Pounce is often used. This method rarely works with cats. If your cat will not take the pill in food or cannot have food with the medication:

- Have the pill out and in a convenient place.
- Bring the cat to the place you will give the pill, while talking to him or her in a happy, light voice.
- Ask to be shown how to correctly “scruff” a cat.
- Burrito Wrap:** Sometimes it is helpful to wrap the cat in a blanket or a large towel so just his or her head is sticking out.
- Place the cat between your knees or at eye level on a table.
- Hold the pill between your thumb and index finger of your dominant hand.
- Using your other hand, gently but firmly grasp the cat’s head from above with your thumb on one side and your finger on the other right behind the canine teeth.
- Tilt the cat’s head back so he or she is looking at the ceiling. The cat’s lower jaw will automatically drop a bit.
- Place one of your free fingers from the hand holding the pill between the lower canine teeth (long front teeth) and push down.
- Quickly place the pill as far back in the cat’s mouth as possible, making sure it is over the hump of the tongue. Do not place your hand too far into the cat’s mouth because it might gag.
- Close the cat’s mouth. Hold it closed, lower his or her head to a normal position and gently rub or blow on the cat’s nose to stimulate swallowing.
- Talk softly to and stroke the cat or give another type of treat.

### **Liquid Medication to Cats-**

- Start with the burrito wrap: wrapping the cat’s body and legs tightly in a towel leaving only its head sticking out. Insert the dropper between the cheek and teeth while tilting the chin upward. Slowly dispense the medication, remembering not to give it faster than the cat can swallow. The quicker you do this, the more cooperative the cat will be.
- Refrigerated medication **MUST** be kept in the refrigerator.

### **Applying Eye Drops and Ointments-**

- Before administering eye medication, wash your hands, and be sure the eye is clear of discharge. You can use warm water on a cotton ball to gently clean around the eyes. Use your thumb and forefinger to open the eyelid. With your other hand, place 1-2 drops (as directed) or a small amount of ointment on the eye or the pink tissue around the eye. The foster animal will blink and the medication will cover the entire eye. When applying medication to the eye, try to avoid the animal’s direct line of vision when approaching and **avoid touching the eye with the container of medication.**

## **Care of Kittens**

**Please let the Foster Program Coordinator know if your foster animal is developing behavior problems. General Information:**

- Kittens younger than 4 weeks are usually not fostered without their mother. Most mothers do a very good job of feeding, cleaning and caring for their newborns. However, it is important that you be observant to ensure that no problems arise. A kitten's condition can change very quickly in a matter of hours.
- If you have a litter of kittens, it is important that you are able to identify them. Make a list of their names, and any distinguishing markings so you can keep a record of their progress. Remove all paper collars before they become too snug.
- Kittens fostered for age will have their follow up appointment at about 8 weeks of age, if no problems have arisen. Although in most cases they can be approved to go up for adoption at this time, kittens must be at least 2 lbs. to be sterilized. If they are less than 2 lbs. at the time of their exam, you might be asked to continue fostering them until they weigh enough for sterilization. Because it is beneficial for kittens to remain with their littermates until they are 8 weeks of age, you might be asked to continue fostering the animals for an additional two weeks if foster homes are not in high demand.
- The area where you keep your foster kittens must be clean, dry, warm and free of drafts. Kittens younger than 2-3 weeks cannot maintain their own body temperature and can die if they become chilled.
- Kittens with mothers should be kept separate from other animals in the house. The mother may be protective and can attack other animals or people if she feels threatened.
- Use towels or blankets for bedding. Bedding should be changed daily (or more frequently if necessary). The mother will try to keep the area clean, but that can be a difficult chore, especially with a large litter.
- The mother will take care of the babies' elimination needs by frequently cleaning/licking them. Puppies and kittens begin eliminating on their own without stimulation from their mother at about 3 weeks of age.
- Fading kitten: Rarely, one or more kittens in a litter will begin to "fade" after a week or two of life. They will stop growing, begin to lose weight, stop nursing and stop crawling. They may cry continuously and lose the ability to stay upright. There is no clear cause for the condition. Kittens fade very quickly and often do not recover, even with intensive care.

**Contact the Foster Program Coordinator immediately if you suspect a problem.**

## **Feeding:**

- Nursing mothers should be fed dry kitten food mixed with some wet food. They need to be fed more often and in larger quantities than usual.
- Starting at about 3-4 weeks of age, most kittens will begin trying to eat on their own from their mother's dish. At this time, make sure the dish is large enough for the litter to gather around or use multiple dishes.
- Mix ground dry kitten food with water and a small amount of canned food to make a semi-solid mixture.
- Some kittens may need to be introduced to the food. Place a small amount on your finger and allow the kitten to lick it off or place a small amount on their lips. Slightly warming the food makes it more palatable.
- Feedings should be done at least 2-3 times a day. Several feedings throughout the day will ensure that your kittens do not overeat. Overeating can cause vomiting or diarrhea.
- It is important to make sure that each kitten is eating. If it appears that one or more kittens is not making its way to the dish or is getting squeezed out, set up another dish away from the first and closely monitor that kitten's intake.
- Do not feed cow's milk to a kitten.**
- Remove the mother during kitten feeding times so she will not eat their food. It is also helpful to remove the mother 1-2 hours prior to feeding time to stimulate the kittens' appetites.
- Kittens will continue to occasionally nurse during this time.

## **Litter Box Training:**

- By about 4 weeks of age, kittens are ready to begin using the litter box.
- Make sure you have a low sided litter box for the kittens to get in and out of easily.
- Start them off by putting them in the litter box and scratching the litter with their paw. The kittens will pick this up very quickly. While they are learning to use the litter box, put them in it several times a day for a couple days if necessary.
- Kittens who are unfamiliar with the litter box will taste the litter. Use unscented, non-clumping clay litter for young kittens. Ingested clumping litter will cause illness.
- Several litter boxes may be necessary depending on the size of the litter.
- Litter boxes must be kept clean daily.
- Make sure the kittens can easily locate their litter box by keeping them in a small room or bathroom.
- Kittens are very messy when first learning to use a litter box. They will step in their excrement and track it through the room. At this time, it is especially important to keep all surfaces clean and covered.

### **Kitten Behavior:**

- Kittens are very curious and like to run, jump and climb. Remove all breakable and dangerous items from their reach.
- Kittens love to play with toys of any kind. Even a crumpled piece of paper can provide amusement.
- A single kitten will likely cry a lot the first couple of nights. Make the kitten's area as cozy as possible by providing a blanket and stuffed animal.
- Kittens should not be allowed outside.

### **Socialization of Kittens:**

- Beginning at 3 weeks of age, it is important to begin handling kittens frequently. Make sure each kitten is handled and played with regularly.
- Gradual exposure to new and different things and people; sights and normal household sounds is important to ensure that your foster animal is well adjusted.
- Kittens learn to play by wrestling with their littermates.
- If introducing kittens to dogs or other cats in the house, it is useful to put them in a crate in a common area so they can observe each other prior to interacting.

## **CARE OF CATS**

### **Feeding Cats:**

- Dry food in an appropriate amount (1/2 of a cup for a cat up to 10 lbs per day.)
- A serving of 3 ozs of canned food can be given once or twice a day.
- Milk should **NEVER** be given to cats.
- Fresh water should always be available.
- Cats should be fed away from their litter box.

### **Cat Behavior:**

- Cats should be provided with a scratching post or other suitable surface to scratch.
- Give your foster cat a variety of toys to play with. Rotate them periodically so they do not lose their novelty. You can try hiding your cat's favorite toys before leaving in the morning and create a sort of "treasure hunt" for him or her (make sure he or she sees you hiding at least a few of the toys).
- Cats should **never** be allowed outside.
- Contact the Foster Program Coordinator for suggestions and advice about specific behavior issues.

## **Follow up Recheck Exams**

- You must call the Foster Program Coordinator during weekdays to schedule routine follow up exams at the RASM veterinarian of choice.** Some exams will need to be scheduled with the a veterinarian; others can be handled by a RASM member.
- Kittens will have their follow up visit requirements on your foster information sheet – please follow it. Although in many cases they can be approved to go up for adoption at that time, kittens must weigh 2 lbs. to be sterilized. If they weigh less than 2 lbs. at the time of their exam, you might be asked to keep them until they weigh enough for sterilization.
- It is critical that you keep and arrive on time to any appointment you make out of respect for the veterinary office. If you are not able to keep the appointment, please call the vet office to cancel it in a timely manner and let the Foster Coordinator know. You will, in most cases, be able to speak with the vet about your foster animal. Please limit your conversation to only that animal, and not other fosters or your personal pets. Not all vet exams will take place in exam rooms. If you have concerns or questions about the medical advice from the vet, please contact the Foster Program Coordinator.
- Please be prepared with the following information when you bring your foster animal to the vet:
  - Is the animal eating regularly?
  - Is the animal drinking regularly?
  - Any diarrhea?
  - Activity level
  - Date of last medications given and a list of the medications
  - When were the last signs of illness observed?
- NOTE: If you are able to cover the cost of veterinary care for your foster animal with your own veterinarian, please let the Foster Program Coordinator know.

## **Cleared for Adoption!**

- Once your foster is posted, you may receive phone calls and/or e-mails directly from the Adoption Coordinator to ask questions and to arrange meetings.
- You can arrange to meet prospective adopters at a RASM members home where the adoption will be completed. **Please do not to conduct meetings with prospective adopters in your home.** If the foster animal has been pre-sterilized, it can go home at that time. If the animal has not been pre-sterilized, it must be sterilized at the time of adoption. The adopter will pick the animal up following the surgery.

## **Sanitizing Your Home Between Foster Animals**

**In order to prevent disease and parasite infestations in your home, thoroughly clean areas where the foster animal has stayed. The one week “break” period between foster assignments is a good time to do this.**

- Wash bedding in hot water, detergent and bleach.
- Discard non-washable surface toys.
- Disinfect all washable surfaces with a mild bleach and water solution (bleach/water ratio of 1:32 or 4oz of bleach per gallon of water is recommended). Bleach solutions should be prepared as needed, because they lose their strength after 24 hours. Bleach is inactive in the presence of organic matter so clean up dirt, hair, feces, etc. **before** using bleach to disinfect. **Bleach solution must stay in contact with the surface being sanitized for at least 10 minutes to be effective.**
- Vacuum all carpeted areas.
- Soak toys in bleach water for 20 minutes and scrub and bleach crates, carriers, scoops, food bowls and litter boxes.
- Clean any urine or feces soiled areas with an enzyme cleaner immediately to avoid residual odor (Nature’s Miracle Stain and Odor Remover works well).

## **Quarantine Periods:**

Sometimes an animal is sent into a home before evidence of a serious disease has manifested. Quarantine periods are used to allow infectious diseases to die off in the environment. This protects future foster animals from being infected with the virus or disease. Specific quarantine periods are as follows:

- Feline Leukemia/FIV 3 days
- Sarcoptic Mange 1 week
- FIP 3 weeks
- Ringworm 3 months
- Panleukopenia (feline distemper) 6 months

If a foster animal is infected with one of the above illnesses, the foster parent will not be allowed to bring another foster into the home for the designated quarantine period.

## **Adopting a Foster Animal**

While it is tempting to adopt your first or subsequent foster animals, you will be more valuable to the program if you continue to foster new animals rather than adopting and then ceasing to foster. Foster caregivers are special volunteers with advanced training. We never seem to have enough trained foster caregivers. Losing even one reduces the resources available to animals in our care.

Learning to bond with a foster animal, see the animal grow and thrive under your care, and then passing the animal on to an adoptive home is immensely rewarding. It is also sad to see a foster animal leave. Give yourself time to grieve the loss, but also think about the animal’s new life ahead. Please think very carefully before requesting to adopt a foster animal. Would you have been interested in adopting if you hadn’t fostered?

## **Emergency/Disaster Preparedness**

**An important part of providing foster care is ensuring that foster animals are safe in times of emergency or disaster.** Maryland is vulnerable to a variety of types of severe weather, including tornadoes, thunderstorms, flash floods, snowstorms and ice storms. Technological concerns for Maryland residents include hazardous material spills, fires, explosions and terrorist attacks. Emergencies become disasters when they overwhelm local resources and require outside assistance. Emergencies may require anything from sheltering in place to a brief evacuation from your home to permanent evacuation. You may even be away from home when an emergency situation happens and be unable to return to retrieve your animals. Simple advance preparations can make the difference in whether your animals survive a crisis. RASM recommends that each foster caregiver follow the steps below in order to ensure the safety of foster animals.

### **Create a Written Personal Disaster Plan (see blank form below):**

- Schedule a household meeting to discuss escape routes, location of evacuation supplies and who will be in charge of each animal in an evacuation situation.
- Determine which rooms in your home offer safe havens. They should be away from windows, be easy-to-clean and have access to fresh water. In flooding emergencies, go to the highest location in your house.
- Arrange with a trusted neighbor to temporarily care for or even evacuate your animals in your absence. Provide them with a house key, instructions and emergency contact numbers to reach you and the Michigan Humane Society.
- Since disaster shelters generally do not admit animals, prearrange evacuation destinations for your animals outside of your immediate area such as family and friends' homes and pet-friendly hotels.

### **Ready Animals and Evacuation Supplies:**

- Have a carrier for each foster animal and label them in advance with your name, address and emergency contact numbers. Carriers should be large enough for animals to stand up, lie down and turn around comfortably.
- Prepare an animal evacuation kit that includes a 1-2 week supply of food and water, medications, light-weight bowls, clean-up supplies, a leash and an animal first aid kit. Include an extra copy of foster records in a re-sealable plastic bag along with clear, recent photos of each animal alone and with you. Store the kit in the carrier.
- Familiarize foster animals with going in and out of carriers.

### **When Disaster Strikes:**

- Put your personal disaster plan into action.
- Bring companion animals inside at the first sign of possible danger.
- Make sure all animals are wearing visible identification.
- Place animals in individual carriers and ready evacuation supplies.
- Listen to local weather and/or news updates for instructions as to whether to shelter in place or evacuate.

**Sheltering in place:**

- Close and lock doors and windows.
- Seal gaps under doorways and windows with wet towels and duct tape if told to do so.
- Turn off ventilation systems, water and gas.
- Remain calm. Stay with your foster animals to provide comfort and reassurance.

**Evacuating:**

- If you evacuate, take your foster animals with you! Leave early, if possible.
- Load animal carriers in your vehicle and take along your evacuation kit.
- Lock your home.
- Post a note telling others when you left and where you are going.
- Travel on routes specified by local authorities.
- Use a harness and leash for cats when out of carriers.
- Inform RASM of your location and contact information once you have reached a safe destination.

**After the Disaster:**

- Let the RASM know you have returned home.
- Inspect your home and yard for dangers before allowing your family or animals in.
- Let cats re-orient room by room in your home.
- Animal behavior may change—confusion and abnormal behavior are common.
- Review, practice and update your plan regularly with your family.

## **Personal Disaster Plan**

### **Family Emergency Contact Information:**

**POLICE DIAL 911 or** \_\_\_\_\_

**FIRE DIAL 911 or** \_\_\_\_\_

**AMBULANCE DIAL 911 or** \_\_\_\_\_

### **Nearby Alternative Animal Care Provider:**

Name \_\_\_\_\_

Address, City \_\_\_\_\_

Telephone #: Day \_\_\_\_\_

Evening \_\_\_\_\_

Cell \_\_\_\_\_

### **Out of Area Contact:**

Name: \_\_\_\_\_

Address, City: \_\_\_\_\_

Telephone #: Day: \_\_\_\_\_

Evening: \_\_\_\_\_

Cell: \_\_\_\_\_

### **Nearest Relative:**

Name: \_\_\_\_\_

Address, City: \_\_\_\_\_

Telephone #: Day: \_\_\_\_\_

Evening: \_\_\_\_\_

Cell: \_\_\_\_\_

### **Family Work Numbers:**

Name: \_\_\_\_\_ #: \_\_\_\_\_

Name: \_\_\_\_\_ #: \_\_\_\_\_

Name: \_\_\_\_\_ #: \_\_\_\_\_

### **Family Meeting Places:**

Right outside your home: \_\_\_\_\_

Away from neighborhood: \_\_\_\_\_

### **Other Information:**

Location of evacuation supplies: \_\_\_\_\_

Person in charge of animal evacuation: \_\_\_\_\_

Safe rooms for sheltering at home: \_\_\_\_\_

Veterinarian name, #: \_\_\_\_\_

## **Rescue Angels of Southern Maryland Foster Agreement**

Thank you for participating in the Rescue Angel's foster program. Once you have read the foster manual, please read and sign below. This is to ensure that you understand what is expected of you as a foster caregiver and what you can expect from Rescue Angels of Southern Maryland's foster program. Please return this signed form to the Foster Program Coordinator

### **Initial below:**

- \_\_\_\_ 1. I agree to abide by all RASM policies and procedures, including the procedures outlined in this manual.
- \_\_\_\_ 2. Since my companion animals are susceptible to any illnesses brought into my home by foster animals, my own animals are current on their vaccinations.
- \_\_\_\_ 3. I understand that any treatment needed for my own companion animals is my responsibility, and I will not be reimbursed.
- \_\_\_\_ 4. A crate, food, litter, toys and necessary medications will be provided to me at no charge by RASM as long as they are available.
- \_\_\_\_ 5. If my foster animal is injured or becomes ill at night or on the weekend when the shelter is not open, I understand that I need to call the Foster Program Coordinator immediately. If I take my foster animal to any other veterinary hospital or clinic without prior authorization, RASM will not be responsible for the costs incurred.
- \_\_\_\_ 6. If I can no longer keep the foster animal, I must contact the Foster Program Coordinator to make arrangements to return the animal.
- \_\_\_\_ 7. I agree to work with the Adoption Coordinator to meet with the foster animal so that potential adopters may visit.
- \_\_\_\_ 8. If I want to adopt the foster animal, I must notify the Foster Program Coordinator.
- \_\_\_\_ 9. I understand that animals may have been exposed to viruses prior to being placed in a foster home and they may appear healthy. Viruses such as Rabies can appear over time and I accept that risk with bringing a foster animal into my home. I agree to not hold RASM responsible should I, my family or my animals are exposed.
- \_\_\_\_ 10. I understand that the 14 day quarantine period is not a guarantee that my animals will not be exposed to an illness.
- \_\_\_\_ 11. All decisions made by RASM management are final.

---

Sign

---

Date